

	L #	Hits	Search Text	DBs
1	L1	21220	transistor same (cut\$loff or (cut near off))	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B
2	L2	61	negative near2 slave	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B
3	L3	3	1 and 2	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B
4	L4	19	high near input near resistance near transistor\$1	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B
5	L5	804	(high near input) near2 transistor\$1	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B

	L #	Hits	Search Text	DBs
6	L7	2569	(facilitat\$3 or improv\$3 or help\$3) near3 (cut\$loff or (cut near off))	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B
7	L8	3	5 and 7	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B
8	L9	102945	250/\$.ccls.	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B
9	L10	34	9 and 5	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B
10	L11	13	7 and 9	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B

	L #	Hits	Search Text	DBs
11	L12	182	5 and (cut\$loff or (cut near off))	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B
12	L6	132	1 and 5	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B
13	L13	4	6 and 9	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B